

Inquire About How Versatrim Can Eliminate Your Inventory and Storage Needs.

Ask About Our New Award-Winning Products
& New Exact Match Full Stair Treads



ABOUT US

The Leading Molding Brand in North America!

Versatrim is an award-winning leader in the flooring industry, located outside of Raleigh, NC., that manufactures, sells, and distributes a complete line of custom coordinated floor moldings and trims for laminate and vinyl flooring.

Our innovative approach to molding solutions, and its ability to coordinate with most of the top colors in the vinyl, luxury vinyl tile, wood plastic vinyl, and laminate flooring industry, has guided us to the forefront as a leading manufacturer of floor moldings.

In addition to our core products, we have unique offerings that include flexible moldings, stair solutions, adhesive and a variety of accessories to help complete your flooring projects.

We've proudly been serving our customers for over 25 years. For additional information on our products and services please visit www.versatrim.com.



HOW TO ORDER

To Place an Order With Versatrim, please complete the following steps:

- Visit http://versatrim.com/how-to-order
- . Complete the 2 forms to establish your credit terms:
- 1. Credit Application We also accept all major credit cards and certified checks in the event that you choose not to have open credit terms with us.
- 2. Company Contact Form This form will enable us to correctly identify your company, to expedite your orders and avoid mistakes.

Place Your Order 1 of 4 Ways:

- . Order Online at versatrim.com and register for a personal account or business account by selecting the option on the top tool bar and follow the steps.
- Fax in a Completed Order Form Go to versatrim.com/how-to-order, download an order form and fax completed form to 252.430.8801 or email it to orders@versatrim.com
- Fax or Email Your Purchase Order from Your System Fax your P0 to 252.430.8801 or email your P0 to orders@versatrim.com
- Call Us Contact Customer Service by calling 1.866.200.8132, option 2

Return Policy:

All returns are subject to approval. Call your sales representatives for details.

VERSATRIM GUARANTEE

If we don't ship on time, your next order ships free!

The guarantee is simple: if an order is not shipped on the confirmed ship date, based on our standard lead times, the customer will receive free shipping on their next order of equal or lesser value. This guarantee applies to all orders placed with Versatrim, regardless of size or quantity.

Terms and Conditions:

- Our guarantee will be null and void upon a force majeure due to unforeseen circumstances beyond our control such as a natural disaster (i.e. earthquake, hurricane, flood, other).
 During such an event, we may be unable to fulfill orders or contractual obligations due to uncontrollable circumstances caused by the natural disaster, especially if hours of operations or suppliers are impacted. We will do our best to inform our customers of any delays in the delivery of our products and services. We remain committed to resolving any issues as quickly as possible.
- On time defined as the estimated ship date on our order confirmation sent to our customers.
- Free shipping & handling credit expires 30 days from the original order shipment date.
- The order that receives free shipping & handling must be equal to or less than the value of the order that shipped late.
- Must use the same shipping method as the original order.
- Standard lead times apply. Anything ordered after noon ET will ship next business day.
- · Orders that go on credit hold do not apply.
- · Does not apply to LTL shipments or customer pick-ups.
- Holidays & weekends do not count as operational days and can not be included in the lead time commitment.

WARRANTY

We Offer a Limited Lifetime Warranty on ALL of Our Moldings

Limited Lifetime Warranty for Laminate Moldings:

Versatrim provides the following conditional limited warranty of its moldings for the lifetime of the original purchaser:

- The laminate surface will not wear through
- The molding will not stain
- The molding will resist damage from moisture due to damp-mopping and small everyday spills when removed promptly





G





MOLDING PROGRAM OPTIONS

We have a molding program to fit your needs! Talk to your Sales Representative for more Information!

Stocking Inventory Program

Low inventory stock program provides flooring companies the ability to save money on volume purchases and to stock their best selling skus. Low minimum purchase of 30 pc color/profile. We have partnered with many flooring companies and popular brands over the years and are a valuable resource for them. To learn more about our Coordinating Molding Program and explore the wide range of options available, scan the QR code provided at the top of the page.

Quick Ship Program

Includes 7 trim profiles all ready to ship next business day with no minimums This program offers our lowest price point, and we provide on-line installation instruction, saving you both time and money. Our goal is to make sure you get a high-quality product at a reasonable price in a quick production time. Scan the QR code at the top of the page for additional detail and color options available.

Coordinating Molding Program (CMP)

If you don't see a color in our Standard Stock colors or on our website that match your floor, don't stress we have your solution! We have partnered with many flooring companies and popular brands over the years and are a valuable resource for them. Just send us the floor and we will create a custom color to coordinate with your moldings.

To learn more about our Coordinating Molding Program and explore the wide range of options available, talk to your Sales Representative or fill out a quick form by scanning the QR code at the top of the page to get started today!

Versatrim offers a limited number of free marketing materials and samples for all retailers, distributors, and manufacturers.

Go to http://versatrim.com/free-samples more information on these options.

For all program options, please send your floors to our print department at the below address:

Versatrim, LLC Attn: Print Department 101 Eastern Minerals Road Henderson, NC 27537 USA

Please contact your Versatrim Sales Representative for more details on any programs to accommodate all of your molding needs.



OW TO ORDER

Send Us Your Floor and We Will Create A Coordinating Trim. No Minimums! No Inventory!

COORDINATING MOLDINGS FOR THESE FLOORS & MORE:































































































































LEGENDARY FLOORS™















































































































HRBAN
















PRODUCT HIGHLIGHTS

Versatrim is the Leader in Trim Innovation Offering "Everything But the Floor!"

We've expanded our product portfolio to provide our customers with the following NEW innovative products: Our full tread stair solution, the Versatrim Tread, 10-Inch Saw Blades, white stair risers with VersaCap bundle options, the only Molding Adhesive you'll need for all your flooring projects! Available now, we are introduced the NEW VersaCap Round profile to our popular matching stair solutions.



^{*\$8.50} Flat rate shipping for blade only orders. For lower 48 Continental United States only. Please inquire with your Sales Rep for Alaska, Hawaii, or any other freight quotes

^{**}Requires a light sanding before painting

^{***\$8.50} Flat rate shipping for adhesive only orders. For lower 48 Continental United States only. Please inquire with your Sale Rep for Alaska, Hawaii, or any other freight quotes. Boxes & Cases ship FOB Henderson.

New Products to help with Floor Installation. We Offer Everything But the Floor!

Installing a new floor? Our new CalFlor Flooring Installation Kit includes: 3 useful tools: 1 Heavy Duty Steel Pull Bar, 20 Stepped Installation Spacers, and 1 VersaBlock Tapping Block, which is also available separately. Use BlueZone Perimeter Sealant Tape to protect your floor & subfloor from spills. We've also added the following new products: Fittes floor vents, primed-white quarter rounds & base shoes, and a new VersaFlex Corner Molding profile, all designed to help beautify your floor!.



BLUEZONE PERIMETER SEALANT TAPE

As an alternative to traditional caulking methods, BlueZone applied around the perimeter of flooring installations will effectively seal the expansion area, preventing spills from damaging both the flooring and subfloor with proven moisture-proofing technology against

PRODUCT HIGHLIGHTS:

- · Easy, clean application
- . No special tools needed
- · Low-temperature adherence
- Tear resistance
- Prevents moisture intrusion into floor expansion areas
- Low cost
- · Bonds well to most surfaces

Available Now!

VersaFlex Corner Molding

1 Roll Ships FREE with Any Molding Order.* Also available in a box of 12 or a case of 144 rolls.

See page 26 for pricing

1 Kit or 1 Block Ships FREE with Any Molding Order." Kit is also available in a box or of 10 kits and the VersaBlock is also available in a box of 24 or a case of 72 blocks. See page 26 for pricing.

INTRODUCING

See page 14

Introducing 8 new in-stock Fittes Vents! These stylish and functional vents are the perfect complement to your flooring projects, adding a touch of modern elegance to any space.

PRODUCT HIGHLIGHTS:

- · Sleek and contemporary design that seamlessly blends with modern interiors
- Durable construction for long-lasting performance and reliability
- Easy installation for convenience & efficiency in your projects

Ships FREE with Any Molding Order*

*\$15 Flat rate shipping for vents only orders. For lower 48 Continental United States only.

Please inquire with your Sales Rep for Alaska, Hawaii, or any other freight quotes. See page 26 for pricing.

PRIMED WHITE **QUARTER ROUNDS** & BASE SHOES

> Quarter Rounds & Base Shoes are used to conceal the space between the wall's



*\$8.50 Flat rate shipping for adhesive, tape, VersaBlock, or kit only orders. For lower 48 Continental United States only. Please inquire with your Sales Rep for Alaska, Hawaii, or any other freight quotes

PROGRAM OPTIONS/ PARTNERSHIPS

MOM T0

APPLICATIONS

MARKETING ASSISTANCE/ SUSTAINABILITY

SHIPPING INFORMATION/ LEAD TIMES

PRICING







TRANSITIONS:



Reducer – Available in both Standard and Moisture-Proof options!


Reducers are used to transition between floors of different heights with a minimum height difference of 1/4" (6.35 mm).

Surface Material: High Wear Resistant Aluminum Oxide Laminate

Core Material: Our standard reducer molding is made of moisture-resistant MDF, while our Moisture-Proof variety is an exterior grade composite wood product.

Length: 94" Long

Floor Thickness*	Accessories Needed	Hardware Included
9/32"-15/32" (7-12 mm)	Versatrack-Sold Separately	None
15/32"-5/8" (12-16 mm)	Versatrack & Shim-Sold Separately	None





T-Molding – Available in both Standard and Moisture-Proof options!


T-Moldings are commonly used in doorways to join two floors in adjoining rooms. Also recommended when making a transition from one floor to another that is approximately the same height.

Surface Material: High Wear Resistant Aluminum Oxide Laminate

Core Material: Our standard floor transition molding is made of moisture-resistant MDF. while our Moisture-Proof variety is an exterior grade composite wood product.

Length: 94" Long

Floor Thickness*	Accessories Needed	Hardware Included
5/16" (8 mm)	No Track or Shims (Glue Down)	None
23/64"-15/32" (9-12 mm)	Versatrack-Sold Separately	None
15/32"-19/32" (12-16 mm)	Versatrack & Shim-Sold Separately	None
19/32"-45/64" (15-18 mm)	Versatrack & 2 Shims-Sold Separately	None





End Cap – Available in both Standard and Moisture-Proof options!


End Caps are used to transition from flooring to carpet, masonry (fireplaces), sliding doors and other exterior door jams.

Surface Material: High-Wear Resistant Aluminum Oxide Laminate

Core Material: Our standard flooring end cap is made of moisture-resistant MDF, while our Moisture-Proof variety is an exterior grade composite wood product.

Length: 94" Long

Floor Thickness*	Accessories Needed	Hardware Included
9/32"-15/32" (7-12 mm)	Versatrack-Sold Separately	None
15/32"-5/8" (12-16 mm)	Versatrack & Shim-Sold Separately	None



OUR MOLDINGS ARE AVAILABLE AS WATERPROOF!

Information About Our Moisture Proof Material

- The core material is not considered 100% water proof. However, it is moisture, rot, and termite resistant.
- It is treated with zinc borate and manufactured with phenolic resins.
- It has no added urea formaldehyde.
- It is made using sustainable materials and contributes to industry green building programs.
- Caliper swell when saturated in water improves 1-1/2 to 5 times comparing our moisture proof core material to moisture resistant grade and typical MDF.
- In comparison to MDF in internal bucket testing, our moisture proof material exhibited substantially smaller edge cracks after exposure and air drying than typical MDF.



MOW 7




SlimTrim (3-in-1 Floor Molding)

Our SlimTrim 3-in-1 Molding functions as a Reducer, T-Molding, and End Cap. It comes with SlimTrack & Versatrack Shim for floors up to 1/4" (6.35 mm) or dowels for floors up to 3/4" (19 mm).

Surface Material: High-Wear Resistant Aluminum Oxide Laminate

Core Material: PVC Length: 94" Long

Floor Thickness*	Packaging Option Needed	Hardware Included
Under 1/8" (3 mm)	SLT-P33	No Hardware Included
Up to 1/4" (6.35 mm)	SLT-P29	Track & Shim
As a T-Molding: 1/4"-3/8" (6.35-9	9.5 mm) SLT-P54	Track & 2 Shims
Up to 3/4" (19 mm)	SLT-P32	1 Tree of 8 Dowels
Up to 3/4" (19 mm)	SLT-P31	Track, Shim, & Dowels





SlimCap (PVC End Cap)


Low profile End Cap for floors up to 1/2" (12.7 mm).

Surface Material: High-Wear Resistant Aluminum Oxide Laminate

Core Material: PVC


Length: 94" Long

Floor Thickness*	Packaging Option Needed	Hardware Included
Up to 3/8" (9.5 mm)	SCAP-P29	Track & Shim
3/8"-1/2" (9.5-12.7 mm)	SCAP-P54	Track & 2 Shims



SlimTrim and SlimCap are available with an AC-5 rating. Please inquire with your Sales Representative for more details.











SHOES & BASES



Quarter Round - Available in both Standard and Moisture-Proof options!

Quarter Rounds are used to conceal the required expansion space between the wall and the flooring.

Surface Material: Decorative Paper

Core Material: Our Standard quarter round is made of moisture-resistant MDF, while our Moisture-Proof variety is an exterior grade composite wood product.

Length: 94" Long






Base Shoe - Only available in White Paint Grade stock color

Base Shoes, like Quarter Rounds, are used to conceal the required expansion space between the wall and the flooring

Surface Material: Decorative Paper **Core Material:** Standard MDF

Length: 94" Long





Wall Base

Base molding conceals the joint between an interior wall and the floor. Also used to protect the walls from scuffs and floor cleaning tools.

Surface Material: Decorative Paper Core Material: Standard MDF

Length: 94" Long






Colonial Base - Only available in White Paint Grade stock color

Extra tall Colonial Base molding conceals the joint between an interior wall and the floor. Also used to protect the walls from scuffs and floor cleaning tools.

Surface Material: Decorative Paper Core Material: Standard MDF

Length: 94" Long





Quarter Round-Primed & Base Shoe-Primed

We offer our popular quarter round and base shoe profiles as primed white and ready-to-paint.

Surface Material: Primed Painted Surface

Core Material: Standard MDF

Length: 96"Long

•			
Product	SKU Number	Length	Minimums to Order
Quarter Round-Primed	QR-Primed-96	96" Long	Pallet of 1,800
Base Shoe-Primed	BS-Primed-96	96" Lona	Pallet of 2.700



QR-Primed

3/4"

BS-Primed

3/4"

1/2"



STAIR SOLUTIONS:



Round Stair Nose (RSN)


The Round Stair Nose combines style and function to enhance the beauty of a staircase or step. For use on flooring with an overall thickness of up to 3/4" (19 mm)*.

Order online at versatrim.com or call 1.866.200.8132

Surface Material: High-Wear Resistant Aluminum Oxide Laminate

Core Material: PVC Length: 94" Long

	Longton or Long		
١	Floor Thickness*	Install Type	Accessories Needed
	1/16"-5/16" (1-8 mm)	Overlap	None
	1/16"-3/4" (1-19 mm)	Overlap on Box Stair	Case Bull Nose Shim
	3/32"-5/32" (2-4 mm)	Flush	None
	3/16"-9/32" (5-7 mm)	Flush	VT-VE(X)-Shim-5-Sold Separately
	5/16"-11/32" (8-10 mm)	Flush	VT-VE(X)-Shim-8 <i>-Sold Separately</i>
	1/2" (12 mm)	Flush	VT-VE(X)-Shim-12 <i>-Sold Separately</i>





VersaEdge

The VersaEdge Stair Nose combines style and function to enhance the beauty of a staircase or step. For use on flooring with an overall thickness of up to 3/4" (19 mm)*.

Surface Material: High-Wear Resistant Aluminum Oxide Laminate

Core Material: PVC Length: 94" Long

Floor Thickness*	Install Type	Accessories Needed
1/16"-3/4" (1-19 mm)	Overlap	None
3/32"-5/32" (2-4 mm)	Flush	None
3/16"-9/32" (5-7 mm)	Flush	VT-VE(X)-Shim-5-Sold Separately
5/16"-11/32" (8-10 mm)	Flush	VT-VE(X)-Shim-8-Sold Separately
1/2" (12 mm)	Flush	VT-VE(X)-Shim-12 <i>-Sold Separately</i>





VersaEdge Extra Tall (VEX)

The VersaEdge Extra Tall Stair Nose is 1.5" tall to fit staircases or steps that require a longer overhang. For use on flooring with an overall thickness of up to 3/4" (19 mm)*.

Surface Material: High Wear Resistant Aluminum Oxide Laminate

Core Material: Aluminum

Length: 94" Long

Floor Thickness*	Install Type	Accessories Needed
1/16"-3/4" (1-19 mm)	Overlap	None
3/32"-5/32" (2-4 mm)	Flush	None
3/16"-9/32" (5-7 mm)	Flush	VT-VE(X)-Shim-5-Sold Separately
5/16"-11/32 (8-10 mm)	Flush	VT-VE(X)-Shim-8-Sold Separately
1/2" (12 mm)	Flush	VT-VE(X)-Shim-12 <i>-Sold Separately</i>





Moisture Proof Stair Nose

The Moisture-Proof Stair Nose combines style and function to enhance the beauty of a staircase or step.

Surface Material: High-Wear Resistant Aluminum Oxide Laminate

Core Material: Exterior Grade Composite Wood Product.

Length: 94" Long

Floor Thickness*	Install Type	Accessories Needed
15/16" (8 mm)	Overlap	None
15/32" (12 mm)	Overlap	Versatrim Shim (VT-Shim)-Sold Separately





MATCHING STAIR SOLUTIONS

Caps Are Made With Your Actual Flooring to Perfectly Match!

The VersaCap is used to create matching, flush stair treads & returns that perfectly match your floor to give your staircase an elegant cohesive look.

 $\label{thm:continuous} \textit{VersaCap is available in three profile types depending on your flooring and project needs:} \\$

- VersaCap Edge The Edge has a low profile height of 1-7/8"*
- VersaCap Square The Square a taller profile height of 2-3/8"*
- VersaCap Round The Round profile height of 1-3/4"*

Order your flooring plank to complete your tread! Available with a cap purchase only and will be cut to the size of the cap.

VersaCaps are made-to-order: Once an order is placed it cannot be canceled and the product cannot be returned.

Lead Time: Approximately 15 business days

1 Piece Minimum per order




AWARD-WINNING PRODUCT!





VersaCap Square



VersaCap Edge



VersaCap Accessories

VersaCap Shim - For installing Edge or Square



VersaCap Round



^{*}Since flooring thicknesses vary, to find inside height dim. of your VersaCap, measure the thickness of your floor, multiply it by 2, & subtract it from the outside height.

**VersaCap can be produced in varying length. In standard configuration they can not exceed 46°. Please inquire within your sales rep if you have require longer length.

WHITE STAIR RISERS

PRODUCT HIGHLIGHTS:

- · Ready to install with a durable TFL white finish
- · Lightweight and non-warp particle board core
- Paintable surface*
- Available as a bundle option for our VersaCap

For specs and more detailed information on our risers, see the bottom of page 16. *Requires a light sanding before painting

Ask About Our New VersaCap Bundle!

Our VersaCap Bundle includes the following:

- 1 VersaCap
- 1 Plank
- 1 Riser**

Other bundle options are also available to help complete your stair project:

- 1 VersaCap & 1 Plank
- 1 VersaCap & 1 Riser**

Ask a Sales Representative For Additional Details & Pricing

*Riser only offered in 3/8 x 46 for bundle. Riser quantity must equal VersaCap quantity ordered. No special cut on Risers



VERSATRIM™ TREADS

Versatrim offers a custom full tread stair solution made from your exact floor planks.

Choose from three profiles—Round, Square, or Edge—for quick installation with our Molding Adhesive. Also available as a pack with our TFL risers

AVAILABLE IN:













See Page 6 for more information or page 26 for pricing



NEW

PRODUCT!

Contact Your Sales









VERSAFLEX: FLEXIBLE MOLDINGS


Material: Polyurethane Composite Material Surface: Stainable and Paintable*

Length: 94" Long

VersaFlex End Cap

End Caps are used to transition from laminate to carpet, masonry (fireplaces), sliding doors and other exterior door jambs.

Available In: SKU# 120336 - Oak Wood Grain






VersaFlex T-Molding

T-Moldings are commonly used in doorways to join two laminate floors in adjoining rooms. Also recommended when making a transition from one floor to another floor that is approximately the same height

Available In: SKU# 120336 - Oak Wood Grain






VersaFlex Reducer

Reducers are used to transition between floors of different heights with a minimum height difference of 1/4" (6.35 mm).


Available In: SKU# 120336 - Oak Wood Grain





VersaFlex Corner Molding - NEW! In Stock!

Corner Moldings are used to for corners and edges. Available In: SKU# 120336 - Oak Wood Grain






VersaFlex Quarter Round

Quarter Rounds are used to conceal the required expansion space between the wall and the flooring

Available In: SKU# 120335 – Paint Grade (No Grain) SKU# 120336 - Oak Wood Grain






VersaFlex Base Shoe

Base Shoes, like Quarter Rounds, are used to conceal the required expansion space between the wall and the flooring.

Available In: SKU# 120335 - Paint Grade (No Grain)

SKU# 120336 - Oak Wood Grain






VersaFlex Wall Base Special Order Item. Longer Lead Times May Apply.

Base moldings conceal the joint between an interior wall and the floor. Also used to protect the walls from scuffs and floor cleaning tools.

Available In: SKU# 120335 - Paint Grade (No Grain) SKU# 120336 - Oak Wood Grain






VersaFlex Colonial Base Lead Times May Apply.

Colonial Base molding conceals the joint between an interior wall and the floor. Also used to protect the walls from scuffs and floor cleaning tools.

Available In: SKU# 120335 - Paint Grade (No Grain) SKU# 120336 - Oak Wood Grain



PROGRAM OPTIONS/ PARTNERSHIPS

APPLICATIONS

MARKETING ASSISTANCE/ SUSTAINABILITY

SHIPPING INFORMATION/ LEAD TIMES

PRICI

^{*}Must use a gel-type stain or latex/oil-based paint.





ACCESSORIES for Transition Moldings:




Dowel Tree

To be used with SlimTrim for floors up to 3/4" (19 mm)*. Comes as a tree of 8 dowels. One tree covers one 94" long Slim Trim molding with each dowel spaced approximately 12" apart and 1" from each end.

Material: High Density Polyethylene Included with SlimTrim-P32

FOR USE WITH:

SlimTrim





SlimTrack

At Versatrim, we designed our SlimTrack to perfectly fit our SlimTrim and SlimCap solutions, so you can have the same molding on thin floors up to 1/8" (3 mm) in thickness, as you would any other floor. To be used in conjunction with the Versatrack Shim with thicknesses of 1/8" (3 mm) to 1/4" (6.35 mm).


Material: Cold Roll Steel Length: 94" Long

Included with SlimTrim-P29 and SlimTrim-P54



SlimTrim

SlimCap






Versatrack (Metal Track)

To be used with T-Molding for floors from 23/64"-15/32" (9-12 mm)** thickness and Reducer & End Cap for floors from 9/32"-15/32" (7-12 mm)** thickness. Can also be used with T-Molding in conjunction with the Versatrack shim for floors from 15/32"-45/64" (12-18 mm)** thickness and with Reducer & End Cap in conjunction with the Versatrack shim for floors from 15/32"-5/8" (12-16 mm)** thickness.

Material: Cold Roll Steel Length: 94" Long

FOR USE WITH:

- T-Molding
- Reducer
- End Cap





Versatrack Shim

To be used with T-Molding in conjunction with the Versatrack for floors from 15/32"-45/64" (12-18 mm)* thickness and with Reducer & End Cap in conjunction with the Versatrack for floors from 15/32"-5/8" (12-16 mm)* thickness. Our Versatrack Shim was also designed to be used with our SlimTrim for floors up to 9.5 mm and our SlimCap for floors up to 12.7 mm.

Material: Standard HDF

Length: 94" Long

1 Included with SlimTrim-P29 and 2 included with SlimTrim-P54

FOR USE WITH:

- T-Moldina
- Reducer
- End Cap
- SlimTrim
- SlimCap



^{*}All references to flooring thickness refer to the total thickness of all components of the floor installation being laid upon the subfloor. This typically is comprised of the flooring plank, e.g. Vinyl or Laminate, the underlayment, either attached or loose lay and any additional vapor barriers. **For floors thicker than 45/64" (18 mm)* for T-Molding and 5/8" (16 mm)* for Reducer & End Cap, please contact our team of customer service representatives for assistance in choosing the right reducer molding for your project.

ACCESSORIES for Stair Solutions:



Versatrim Shim (VT Shim)

Used to raise the landing Stair Nose when used for 3/8-1/2" (9.5-12.7 mm)

Flooring.

Material: MDF/HDF Length: 94" Long

FOR USE WITH: Stair Nose





VT-VE(X)-Shims

This Versatrim shim is available for optional use with our Round Stair Nose molding (RSN) and VersaEdge for flush installations. We carry a variety of sizes to fit your needs, including Shim-5 for 5-7 mm* floors, Shim-8 for 8-10 mm floors*, and Shim-12 for 12 mm* floors.

Material: MDF/HDF Length: 94" Long

FOR USE WITH:

- VersaEdge VersaEdge
- Extra Tall
- Round Stair Nose





Bullnose Shim

Our Bullnose Shim is to be used to install our Round Stair Nose molding (RSN), specifically on box staircases, to create a stabilized, rounded step.

Material: Standard MDF

Length: 94" Long

FOR USE WITH:

 Round Stair Nose





White TFL Stair Riser

Used to enhance stair landings. Our white stair risers come in white surface material. No need to paint it white. It is also paintable if you prefer another color.

Surface Material: High Quality TFL (Thermally Fused Laminate)

Core Material: Standard Particle Board

Thickness: Our risers come in 2 thicknesses: 3/8" and 5/8" thick


Length: Comes in 2 lengths: 46" and 96" long

This product is excluded from our free shipping options.

46" Risers ship in bundles of 4 or individually with a VersaCap order. 96" Risers are sold by the pallet (min of 100 pcs.) and ship LTL only.

See VersaCap Bundle options on page 12.

We do not cut risers; we only sell as stock 46" and 96" lengths.



*All references to flooring thickness refer to the total thickness of all components of the floor installation being laid upon the subfloor. This typically is comprised of the flooring plank, e.g. Vinyl or Laminate, the underlayment, either attached or loose lay and any additional vapor barriers

MOM





ACCESSORIES for Installation:



BlueZone Perimeter Tape* - NEW! In Stock!

BlueZone outperforms traditional caulking methods. BlueZone applied around the perimeter of flooring installations will effectively seal the expansion area, preventing spills from damaging both the flooring and subfloor.

The ease of use encourages proper perimeter sealing, keeping your floor and subfloor safe for the life of the flooring with proven moisture-proofing technology against liquids, including pet urine.

BlueZone has been proven to be more effective than the standard silicone/backer rod process. Offering a lower cost and more consistent, easier application. Choose BlueZone for a reliable, efficient, and long-lasting flooring protection solution.

Material: Constructed from high-grade 6 mil polyethylene and a permanently tacky rubber adhesive

FOR USE WITH:

- All of our floor moldings and trims
- · Easy, clean application
- · No special tools needed
- Low-temperature adherence
- Tear resistance
- Prevents moisture intrusion into floor expansion areas
- Low cost
- . Bonds well to most surfaces



CalFlor Flooring Installation Kit with VersaBlock* - NEW! In Stock!

CalFlor® Installation Kit with VersaBlock® features quality products, designed to make your projects go smoothly.

The kit includes:

1 VersaBlock Tapping Block 1 Heavy Duty Steel Pull Bar 20 Stepped Spacers

FOR USE WITH:

- For Vinyl, Laminate, & Engineered Flooring
- Sturdy tapered steel pull bar to withstand many installs
- Stepped installation spacers are suitable for different expansion specs
- VersaBlock (Also available separately), features 3 different edges to work with multiple styles of flooring



VersaBlock* - NEW! In Stock!

VersaBlock is the perfect tool for all skill levels. Unlike regular tapping blocks that only accommodate one or two flooring edge profiles, the VersaBlock can handle thin, medium, and thick floors, ensuring perfect contact every time.

To maximize the utility of the tapping block features include a ruler, pencil holes for tracing wall curvature and creating straight lines, and a knife notch to help cut off flooring edges with ease.

FOR USE WITH:

- For Vinyl, Laminate, & Engineered Flooring
- Multi-use tool
- Easy Use
- Sturdy Material
- For use with wood, laminate and vinyl flooring products
- Buyer-friendly product minimizes the amount of tools needed on both current & future installs



Molding Adhesive by Versatrim*

The only molding adhesive you'll need! This wet-set, early-grab, 12-hour curing formula is low-odor and easy-to-clean, leaving no surface residue or ghosting, even once dried. It provides an excellent bond for moldings. Comes in a 10 oz. cartridge.

28 oz. Cartridge COMING SOON!

FOR USE WITH:

 All moldings, trim & stair solutions

- No Shrink Formula
- · High Strength, Waterproof
- Extremely Low VOC
- Covers roughly 15-20 Lin. Ft. depending on application and bead size.
- No Surface Residue
- 12-Hour Cure Time



10-Inch Saw Blade*

Our high quality 10" Saw Blade is ideal for floor moldings and is designed for ultra smooth cross cutting on a table saw or miter saw. Blade work on all Versatrim products, including VersaCaps & VersaEdge Extra Tall (VEX).

FOR USE WITH:

 All moldings, trim & stair solutions

- Carbide Tipped for long life & smooth cuts
- 80 Teeth Alternate Bevel
- Wide range of use, including aluminum
- Blade can be sharpened
- Heat Resistant Non-Stick Coating for cleaner cuts



VERSATRIM INTRODUCING FITTES VENTS - NEW! In Stock!

Order online at versatrim.com or call 1.866.200.8132

Introducing 8 new in-stock Fittes vents! These stylish and functional vents are the perfect complement to your flooring projects, adding a touch of modern elegance to any space. Key features of the new vents include:

- Sleek and contemporary design that seamlessly blends with modern interiors
- Durable construction for long-lasting performance and reliability
 Easy installation for convenience and efficiency in your projects

Additional vent sizes available as Special Order Items. Contact your Sales Representative today for more information.



Framed Floor Vent [Lite]

Minimalist-framed vent made of ABS plastic. This DIYfriendly vent can be retrofitted to any surface.

Core Material: ABS Plastic

Available in 2 sizes: 4" x 10" and 4" x 12"

Framed Floor Vent [Lite] 4"x10" / Matte Black - LITE4X10BLK

Framed Floor Vent [Lite]

4"x12" / Matte Black - LITE4X12BLK





A1	11"	12-7/8"
A2	5"	5"
А3	1-7/8"	1-7/8"
A4	1/8"	1/8"
A5	9-34"	11-5/8"
A6	3-3/4"	3-3/4"
A7	3/8"	3/8"
B1	8-7/8"	10-5/8"
B2	2-13/16"	2-13/16"
В3	3/4"	3/4"
B4	3/8"	3/8"

Dimensions

4"x12"

10-13/16

2-7/8"

7/8"

11-3/4

3-13/16

1-7/8"

13-1/16'

5-1/16

1/32"

5/8"

11-7/8" 3-15/16"

1-11/16"

4"x10"

8-7/8

1/32"

5/8

3-7/8"

A2 2-7/8

A3 7/8"

В1 9-3/4

B2 3-11/16"

B3 1-7/8"


C1 11-1/16"

C2 5-1/16

C3

D1 9-15/16

D3





Flush Floor Vent [Lite]

Ultra-minimal, frameless floor vent made in a combination of ABS plastic and solid steel. Once installed, all that is visible is the air channel.

Core Material: Combination of ABS Plastic and Powder-Coated Galvanneal Steel

Available in 2 sizes: 4" x 10" and 4" x 12"

Flush Floor Vent [Lite] 4"x10" / Matte Black - FMLIT4X10BLK


Flush Floor Vent [Lite]













The original "OG" is the go-to minimalist-framed vent. This solid steel vent can be retrofitted to any surface. Easy drop-in install. DIY friendly.

Core Material: Powder-Coated Galvanneal Steel Available in 2 sizes: 4" x 10" and 4" x 12"

Framed OG Floor Vent [Luxe] 4"x10" / Matte Black - AV4X10BLK Framed OG Floor Vent [Luxe]












Dimensions

0G	4"x10"	4"x12"
A1	11"	13"
A2	5"	5"
А3	1-13/16"	1-13/16"
Α4	1/16"	1/16"
A5	9-34"	11-34"
A6	3-3/4"	3-3/4"
Α7	5/8"	5/8"
В1	8-11/16"	10-11/16"
B2	2-3/4"	2-3/4"
ВЗ	7/8"	7/8"
В4	7/16"	7/16"





Flush Floor Vent [Luxe]

The ultra-minimal, frameless floor vent. Flush with no rim - only a single rectangular air channel is visible. This model must be mounted prior to the surface.

Core Material: Powder-Coated Galvanneal Steel Available in 2 sizes: 4" x 10" and 4" x 12"

Flush Floor Vent [Luxe]

Flush Floor Vent [Luxe]












Dimensions

	4"x10"	4"x12"
A1	8-11/16"	10-11/16"
A2	2-13/16"	2-13/16"
A3	7/8"	7/8"
B1	9-3/4"	11-3/4"
B2	3-3/4"	3-3/4"
В3	1-13/16"	1-13/16"
C1	11-1/16"	13-1/16"
C2	5-1/16"	5-1/16"
C3	1/32"	1/32"
C4	5/8"	5/8"
D1	9-15/16"	11-7/8"
D2	3-7/8"	3-7/8"
D3	1-5/8"	1-11/16"









APPLICATIONS*


This is how the Versatrim molding covers 9/32-45/64" (7–18mm) Flooring. The answer to the problem is a program of moldings designed to work with a metal track.






VersaEdge, VersaEdge Extra Tall, and Round Stair Nose (RSN)

VersaEdge and VersaEdge Extra Tall Stair Nose covers floors up to an overall thickness of 3/4" (19mm) and RSN covers floors up to an overall thickness of 12mm.




VT-VE(X)-SHIMS are sold separately.




^{*}The installation instructions shown on pages 19 & 20 are suggestions of how to install our moddings. Versatrim does not assume responsibility for any product failure or liability due to installations that are in violation of the flooring manufacturer's installation guidelines and/or warranties.

**All references to flooring thickness refer to the total thickness of all components of the floor installation being laid upon the subfloor. This typically is comprised of the flooring plank, e.g. Vinyl or Laminate, the underlayment, either attached or loose lay and any additional vapor barriers.


0







Moisture Proof Stair Nose, Quarter Round, Base Show, Wall Base and Colonial Base Installation

Our Moisture Proof Stair Nose works with 8mm and 12 mm Floors**. Our bases are easy to install and can be used in any combination of the two.







^{**}All references to flooring thickness refer to the total thickness of all components of the floor installation being laid upon the subfloor. This typically is comprised of the flooring plank, e.g. Viryl or Laminate, the underlayment, either attached or loose lay and any additional vapor barriers.



This site is provided as a convenience to our customers for simple Versatrim step-by-step installation instructions as PDFs and easy to follow videos.







MARKETING ASSISTANCE

Display Board

Our 12" x 42" display board features our moldings profiles: SlimTrim, SlimCap, VersaEdge, Versa Edge Extra Tall, Round Stair Nose, Moisture Proof Stair Nose, End Cap, Reducer, T-Molding, Quarter Round, Base Shoe, Wall Base & Colonial Base.

Standard Color Book

Our 3.75" x 8" color book fits conveniently in a pocket, drawer, or glove compartment and is handy any time you need to match our moldings to your floor. The book represents all standard stock colors.

Standard Molding Profile Chain

The Versatrim Sample Chain represents most of our molding profiles and accessories: Slim Track, VersaTrack Shim, Slim Cap, Slim Trim, VersaEdge, VersaEdge Extra Tall, Round Stair Nose, Quarter Round, End Cap, Reducer, T-Molding, Versatrack,

VersaFlex Profile Chain

The VersaFlex Profile Chain represents 6 out of our 8 flexible molding profiles: Corner Molding, Reducer, T-Molding, End Cap, Quarter Round, and Base Shoe. The Wall Base and Colonial Base are special order items that require longer lead times and are not included on the sample chain.

VersaCap 6 Inch Sample Piece

Our 6" long VersaCap sample pieces are easy to handle and are available in Edge, Square, and Round. On the bottom of each sample is a label with product specs and dimensions. Our VersaCaps match your floor perfectly, because they are made from the actual flooring.

VersaCap Handheld Display

Our 7" (w) x 7" (d) x 2.5" (h) Handheld VersaCap Display demonstrates how our VersaCap Square and Round will look installed.

Versatrim Tread Sample

Our 10" long Versatrim Tread sample pieces show off our new full tread stair solutions! They come in Round, Square and Edge. The branded tape on the top side of the tread is removed after actual full-size tread installation.



Free samples are for flooring businesses only.

SUSTAINABILITY



Embracing Green Practices for a Sustainable Future

At Versatrim, we are committed to making a positive impact on the environment and promoting sustainable development in the construction industry. We are excited to share with you our innovative solutions that not only enhance the aesthetics and functionality of your projects but also contribute to a greener and more sustainable future.



Eco-Friendly Materials

Our products are crafted using high-quality, environmentally friendly materials that are sourced responsibly. We prioritize the use of recycled and renewable materials, reducing our carbon footprint and minimizing waste.



Waste Reduction

We are dedicated to minimizing waste throughout our manufacturing process. By utilizing advanced production techniques and optimizing material usage, we significantly reduce waste generation. Our commitment to recycling cardboard and aluminum and repurposing further ensures that materials are diverted from landfills.



Longevity and Durability

Versatrim products are built to last, reducing the need for frequent replacements and minimizing waste generation over time. Our durable materials and expert craftsmanship ensure that your projects maintain their quality and appearance for years to come.

Join us in embracing sustainable development and making a positive impact on the environment. Together, we can create a greener future for generations to come.



FLOORING TRIM & MOLDINGS MADE IN THE USA



Versatrim proudly manufactures all flooring trims and moldings in the USA.

Since 1998 our company has been proudly making quality products in our manufacturing facility in Henderson, North Carolina.

Our entire team at Versatrim is dedicated to providing you with the very highest quality products by great service. We welcome the opportunity to serve you.

Thank you for considering Versatrim and supporting made in the U.S.A products.







QUANTITIES

	Quantities Per Tube		Quantities Per Box (Pallets Only)		
Standard Stock Moldings	Pieces Per 3" Tube	Pieces Per 6" Tube	Pieces Per Box	Boxes Per Pallet	
SlimTrim	8	34	5	220	
SlimCap	10	35	5	220	
T-Molding	10	45	10	140	
Reducer	10	40	10	140	
End Cap	12	50	10	140	
RSN - Round PVC Stair Nose	4	30	5	220	
VersaEdge - Standard	8	40	5	220	
VersaEdge Extra Tall	6	35	5	220	
Stair Nose	4	19	5	140	
Wall Base	NONE	10	5	110	
Colonial Base	NONE	7	4	133	
Quarter Round	13	50	10	220	
Base Shoe	30	110	20	220	

VersaFlex Flexible Moldings	Pieces Per 3" Tube	Pieces Per 6" Tube	Pieces Per Box	Boxes Per Pallet	
VersaFlex End Cap	12	50	1	150	
VersaFlex T-Molding	10	45	1	150	
VersaFlex Reducer	10	40	1	150	
VersaFlex Quarter Round	13	50	1	150	
VersaFlex Base Shoe	30	110	1	150	
VersaFlex Wall Base	NONE	10 1		64	
VersaFlex Colonial Base	NONE	7 1		40	
VersaFlex Corner Molding	6	20	1	150	

Accessories	Pieces Per 3" Tube	Pieces Per 6" Tube	Pieces Per Box	Boxes Per Pallet	
Versatrim Shim (VT-Shim)	30	120	25	220	
VT-VE(X)-Shim-5	30	120	25	220	
VT-VE(X)-Shim-8	12	55	10	220	
VT-VE(X)-Shim-12	8	31	8	220	
Versatrack Shim Use with Versatrack and SlimTrack	70	280	55	220	
Versatrack	50	120	40	110	
SlimTrack	80	140	50	110	
Dowels - Tree of 8	NA	NA	1000	24	
Bullnose Shim	12	50	10	220	

Quantities may vary when packaging option selected.

No Minimums to Order

SHIPPING POLICY

Effective March 1, 2024

All shipping costs will be based on the actual order weight and shown on the order confirmation.

Please contact our customer service department for shipping charges for Hawaii, Alaska and any location outside the United States of America.


Seasonal surcharges may apply.

Transit Time

Transit times reflect standard business days which does not include Saturday or Sunday. Saturday delivery may be available upon request at an additional cost. Lead times are for FedEx Ground Shipments. LTL Shipments with trucking companies have a similar transit time, for exact transit times please contact your sales associate. Transit may take an additional day or two at times.

A \$5.00 Handling Fee Will Be Added to All Orders

Effective May 1, 2023



OB H	CE LIST		Standard Stock Colors	Coordinating Moldings/ Custom Colors		ig Moldings/ n Colors	
	Quantities Lead Time* Returns		1 Piece	1 to 29 Pieces			
			Ships Next Business Day on Most Items**	Ships within 7 Business Days			
			Item is Returnable	Custom Product: Non-Returnable			
P 2 0			Hardware Included	Hardware Included	Hardware Included		
			Hardware Included	Hardware Included			
			Hardware Included	Hardware Included			
	and the same						
			Hardware Included	Hardware Included			
		Additional SlimTrack Use in conjunction with Versatrack Shim on SlimTrim for fix- pt to 9.5 mm (3/87) and SlimCap for floors up to 12.7mm Additional Versatrack Shim Use with SlimTrack for SlimTrim on 3-9.5mm floors, and SlimCap on 5-12.7mm floors	ontact Yo	our			
		SlimCap-P29 For Up to 9.5 mm (3/8") Floors	Ponroco	ntativo			
		For Up to 9.5 mm (3/8") Floors Sale SlimCap-P54 For 10 to 12.7 mm (3/8" to 1/2") Floors	NGUIG3G	Hardware Included	Hardware Included		
	(RSN Round PVC Stair Nose	For Pricin	ากไ			
		Bullnose Shim Use with RSN for installation on Box Staircases	01 1 110111	9'			
	(
N E X		VersaEdge Extra Tall Stair Nose					
		VT-VE(X)-Shim-5 For VE, RSN, or VEXT institute flush install on 5-7 nr illoo VT-VE(X)-Shim-8 For VE, RSN, or VEX install on 5-7 nr illoo VT-VE(X)-Shim-12 For VE, RSN, or VEX for Optional Flush install on 12 mm floors	366.200.8	3132			
	G/II			Moisture Proof Only			
			Standard Moisture Proof	Moisture Proof Only			
}				Moisture Proof Only			
NCHN		Moisture Proof Stair Nose	Moisture Proof	Moisture Proof Only Mo			
	20000000000						
		Wall Base 3.25" High		NA			
	<u> </u>	Colonial Base		NA	NA		
				Standard Moisture Proof			

Fersaffex Wall Base and Versaffex Colonial Base are Special Order Hems and are subject to longer lead times. Lead times apply to orders up to 5 pieces. Larger orders require longer lead times of times apply to orders up to 5 pieces. Larger orders require longer lead times are times apply to orders up to 5 pieces. Larger orders require longer lead times to 5 pieces. The continuation of the continuation o

HOW TO ORDER

PROGRAM OPTIONS/ PARTNERSHIPS

PRODUCTS

APPLICATIONS

MARKETING ASSISTANCE/ SUSTAINABILITY

EXPERIENCE the Versatrim Difference With Our

ONLINE STORE!



Quick Ship Items & No Minimums!

Versatrim.com









1,866,200,8132

Versatrim LLC, 101 Eastern Minerals Road, Henderson, NC 27537 USA • versatrim.com • sales@versatrim.com

Versatrim, an award-winning leader in the flooring industry located just outside Raleigh, NC, distinguishes itself through its comprehensive line of custom-coordinated floor moldings and trims tailored for laminate and vinyl flooring. Versatrim's innovative approach to molding solutions, coupled with its expert coordination with the latest color trends in the vinyl, LVT, WPC, SPC, and laminate flooring sectors, has propelled the company to the forefront as a premier manufacturer of floor moldings and accessories.







